

Stronger Than Nailed or Solid Posts



MSR 1650fb
SPF Uppers

Titan Timbers consist of #1 SYP on the lower end of the column, pressure-treated to .60 for below-ground contact, and machine stress-rated 1650fb SPF on the above-ground end of the column.


Timber Technologies manufactures glue-laminated columns to the highest standards, to provide you with a straighter, stronger and more predictable column. (Check the chart below or visit www.timber-technologies.com for more information.)

INSEPARABLE MACHINING


Finger-jointed and glued timbers resist individual ply separation and movement, assuring that every column withstands warping and twisting.

- 50 Year Limited Warranty
- Manufactured to the Highest Standards
- Available in Multiple Plys of 2" x 4", 2" x 6", 2" x 8" and 2" x 10"
- 100% usable on job site — no sorting needed.
- Technical support and sizing of Titan Timbers available
- Withstands warping and twisting for greater construction ease
- Higher design values than nailed columns, per NDS "2005"
- Glue-Lam beams that outperform LVL available up to 62' for rafters and headers

Titan Timbers are Stronger



SYP - Southern Yellow Pine
SPF - Spruce Pine Fir
PP - Ponderosa Pine



Available in 3-ply or 4-ply columns 2x6 and 2x8

#1 SYP .60 CCA for ground contact





Timber Technologies LLC

106 Bremer Ave., Colfax, WI 54730
Phone: 715-962-4242 Fax: 715-962-4193
www.timber-technologies.com



Near You and Ready to Support Your Business!

- Horse Barns
- Dairy Barns
- Machine Sheds
- Turkey Barns
- Suburban Garages
- Airplane Hangers
- Commercial Buildings
- Shops



Your local Timber Technologies dealer is:

Timber Technologies uses SPF uppers which provide the best strength-to-weight ratio for the building trade. Tool and machine friendly, SPF uppers cut, screw, nail and notch quicker and easier, **to save you time and money.**

Timber Technologies uses #1 SYP lowers for their superior treatability. Permanent two-part Phenol Resorcinol adhesive is cured under 120 psi pressure. No mechanical fasteners are needed to secure a Titan Timber. Total face gluing resists individual ply separation, assuring that every column withstands warping and twisting.

From on-site delivery to ease of installation, Titan Timbers are guaranteed to be standing straight and tall.

GLUE-LAM

